



APP instruction

Suitable for WIFI thermostat



WE DESIGN FOR COMFORT

Expert for Intelligent Construction & Energy Saving

Downloading and installation

Descarcare si instalare

- In functie de sistemul de operare al telefonului dvs - Android sau IOS - cautati in store aplicatia "thermostat" cu pictograma  si instalati



Android phone




IOS phone

- Dupa instalare pe ecran va fi afisata pictograma 



Android phone



IOS phone


Android Local control

Nota: "Local control" se utilizeaza doar pt identificare

Asigurati-va ca termostatul sa fie in modul "AP hotspot", selectati

pictograma **DIRECT** pt a cauta termostatul.


Cautati termostatul potrivit in lista, selectati, si intrati in interfata de setara a temperaturii



iPhone Local control

Verificati ca telefonul dvs sa fie conectat la Saswell Thermostat, selectati

DIRECT pt a controla termostatul



Remote control


1. Inregistrati un cont

Selectati icoana, intrati in meniul inregistrare, completati informatiile necesare in functie de cerinte.




2. Adaugare termostat (Android)

- 2.1. Asigurati-v ca termostatul dvs este conectat la WI-FI.
- 2.2. In "registered account land on client" alegeti tipul dispozitivului dvs. (Aici gasiti " Connect to WIFI") pe urma in "Overview" selectati **+** pt a aduga portalul
- 2.3. Selectati "Search Gateway" pt a gasi termostatul care este in " AP hotspot mode", gasiti termostatul potrivit in lista, si intrati in interfata de configurare selectand.




Remote control

- 2.4. Pt conectarea termostatului selectati "CONFIG" pt a fixare
- 2.5. Dupa ce termostatul a fost adaugat, selectati "Try now" in modul "overview".



■ 2. Adaugare termostat (iPhone)


- 2.1. Asigurati-v ca termostatul dvs este conectat la WI-FI.
- 2.2. In "registered account land on client" alegeti tipul dispozitivului dvs. (Aici gasiti " Connect to WIFI") pe urma in "Overview" selectati + pt a aduga portalul
- 2.3. Inapoi in "Phone Settings View" conectati termostatul SSID
- 2.4. Inapoi in app selectati "SEND" pt fixarea termostatului.



Remote control



■ 3. Optiunile termostatului

- 3.1. Dupa ce termostatul a fost adaugat cu succes, "App overview" va afisa toate starile de setare.



- 3.2. Redenumire si stergere termostat.


Apasati lung icoana termostatului pana se ivese o fereastra, alegeti "Rename Thermostat" pt redenumire, alegeti "Delete" pt stergere




Remote control

4. Pasi pt controlul termostatului prin telefon

Dupa terminarea pasilor anteriori, intrati in setari astfel:



Setarea temperaturii si actionarea butonului "ON/OFF"



- 1- Cand acest buton este oprit, temperatura dorita va fi ceea curenta
2. Cresterea temperaturii
3. Scaderea temperaturii
4. Glisati pt pornirea termostatul
5. Daca activati acest buton, temperatura dorita va trece imediat in modul economic (16 gr C)
6. Glisati pt opirea termostatul

Decades of HVAC products manufacture experience

Over 1,000,000 family in the world enjoy the service brought by SASWELL products,
We gain our clients trust by Well-deserved reputation



Official website



Android



iOS